THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent

appln. of:

Southco, Inc.

Serial No.:

09/900,592

Filed:

July 6, 2001

For:

Electrically Operated Ratcheting

Pawl Latch

Inventor:

Eric D. Hyp

Doc. No.:

164-01

Certificate of Mail

Date of Deposit: December 18, 2001

I hereby certify that this paper is being deposited with the United States Post Office "First Class Mail Post Office to Addressee" Service under 37 C.F.R. §1.8 on the date indicated above and is

addressed to:

The Commissioner of Patents Washington, D.C. 20231.

Name of Person Mailing Paper or Fee

mu Dedmon

Mamie Dedmon

Commissioner for Patents Washington, DC 20231

COVER LETTER WITH CERTIFICATE OF FIRST CLASS MAIL

Sir:

Enclosed and attached hereto are the following:

- 1) Cover Letter with Certificate of Mailing;
- 2) IDS Transmittal (2 pgs.);
- 3) Information Disclosure Statement (2 pgs.);
- 4) Three (3) U.S. Patents;
- 5) One (1) German Patent;
- 6) IDS Citation (1 pg.);
- 7) International Search Report; and
- 8) Postcard to be date stamped and returned.

FEB -8 2002
TC 2000 MAIL ROOM

No additional fees are believed to be required. In the event that an additional fee is required with respect to this communication, the Commissioner is hereby authorized to charge

any additional fees, or credit any overpayment, to Paul & Paul Deposit Account No. 16-0750.

This cover letter is submitted in triplicate.

Date: December 18, 2001

Order No.: <u>859</u>

Respectfully Submitted,

Jøseph I/ DiDonato Reg. No. 48,897

Raul & Paul

2900 Two Thousand Market Street

Philadelphia, PA 19103

(215) 568-4900

·		COENED	
13 110 200			2002 Dockef No.
In Re Application Of: Eric D. Hyp JAN 2 2 2002 55			
09/900,592	Filing Date July 6, 2001	Examiner –	Group Art Unit
Title: Electrically operated Ratcheting Pawl Latch Payment of Fee (Only complete if Applicant elects to pay the fee set forth in 37 CFR 1.17(p))			
Payment of Fee (Only complete if Applicant elects to pay the fee set forth in 37 CFR 1.17(p))			
Continued Continued Continued			
(215) 568-4900 cc:			